





赫兹电力
HERTZ POWER








14. : 55

15. : 30min

:

	kVA	V	kV	mA	kV	mm	kg
GTB-1.5/50	1.5			30		240×180×380	13
GTB-3/50	3			60		330×240×380	





赫兹电力
HERTZ POWER

产品宗旨：技术创新，品质可靠，服务宗旨：快速响应，达到满意，超过期望

220V
50Hz

K


C

TY

(KV)



“ ” “ ”







赫兹
HERZ POWER

用
服务宗旨：快速响应 过到满意 客户

4






P₀—

P—

P₀=P

1

	kVA						mm	kg
			V	Hz	V	A		
HZTC	3	1	220	50	240	13.6	300*400*220	17
HZTC	5	1	220	50	240	22.7	300*400*230	20
HZTC	10	1	220	50	240	45.5	410*540*680	28
HZTC	15	1	220 380	50	240 430	68 39	410*540*680	35
HZTC	20	2	380	50	430	52.6	410*540*680	40
HZTC	30	2	380	50	430	78.9	570*630*1100	65
HZTC	50	2	380	50	430	131.5	620*650*1600	0




5—1

5—2

5—3

“ S”


5—4





赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，服务周到
服务宗旨：快速响应，达到满意，超过期望





1

2

1.

2.

1

2

